Number of Trips seen	Broken down by each daily trip	CN	ЛΟ		mito	Van Horn	Miller Ranch	Maraki	tou.	89/mort	8011	TNC Pres	DM serve	B Di	iysno, ig ay		MR pper		DM Low			ow's	s	DM State Park	Hink Ga	rdens	L	impi Xing		Х	npia (ing		CDRI	BB Photography
158	Total species seen	1Fr	1SU	2Fr	2Sa 2Su	3.5	3Sa	4Fr	4Sa	5Fr	SSu	6Fr	eSa 6Su	7Fr	7Sa	8Fr	8Sa	ng l	9Fr	nS6	10F	10Sa	10Sn	11Fr 11Sa	12Fr	12Sa	3 3	13Sa	13Su		14Sa		15Sa 15Su	16Fr
1	Blue-winged Teal	Т				l					7	1						T	T	T		Ï		1		T	t	T	┪		··	Ħ	Ť	
1	Cinnamon Teal									1																								
1	Northern Shoveler									/	4																		_					
0	Gadwall	\vdash	_		_			H		_	4	\perp	_		_				+	1			-	\perp		_	_	11	4	_		4	\dashv	\blacksquare
3	Mallard Mexican Duck	\vdash	+		+		_	H		_	/	+	+					+	+	+			+	+	H	+	+	+	-	-	-	\dashv	+	-
1	Northern Pintail	H	+		+	H	1			✓ .	\forall	+	+					+	+	+			+	+	Н	+	╁	+	┪			\dashv	+	+
θ	Green-winged Teal									-	+	+	+						$^{+}$	$^{+}$				+		+			┪			Ħ	+	
1	Ruddy Duck										7																							
1	Northern Bobwhite													1																				
9	Scaled Quail	√ ,	11					1	1	✓,	4	_		1					1	1						_	1		_			4	_	
0	Gambel's Quail	H	+		_			H		-	4	-	+	ļ.,	-			_	-	+			+	+		-	+	+ 1	4			\dashv	+	
	Montezuma Quail Wild Turkey	\vdash	+		+	H				+	/	/ .	,	/	-			/ ,	/	+			+	+	Н	+	+	+	\dashv	/		\dashv	+	+
	Pied-billed Grebe	H	+					/		•	4	/ .	+				,	<u> </u>	+	+			+	+			-	+	\dashv			\blacksquare	+	\vdash
1	Eared Grebe		+							١,	7	+	+						+	$^{+}$			T		П	\pm	Т		┪			Ħ	+	
2	Western Grebe													1	1			T		T			T				T	П					\top	
4	Clark's Grebe									✓ .	7			1	1																			
2	Rock Pigeon	Щ								_	4	_	_	1	1				_	1								11	_	_				
2	Band-tailed Pigeon	H	+							_	4	\perp	+	1				4	/	_			Ļ	_		4	Ļ	11	4	- !		4	\perp	\perp
18	Eurasian Collared-Dove	-	/		+	/	1	1		✓,	4	+	+	1	1		✓ ,	/	+	+	1	✓.	4	+	1	-	+		4	/	/	/	-	
4	Inca Dove	H	+		+			1	√	-	+	-	+	1	/		-		+	+		H	-	+	H	-		++	\dashv		-	4	-	\perp
33	Common Ground Dove		, ,		1	-	_		_	_	7	_	, ,	_	_		-	/	/	-	,	✓.	_	/ /		+	+	′ /	-	_	_			-
20	White-winged Dove		/	_		1	1	✓ ✓					/		1	V	✓ .		/	/	/	✓ ,	4	/ /	/	+	Y	/	\dashv		1		1	+
20	Mourning Dove Greater Roadrunner	 	7	1	/	ľ	_	1		•	4	/ :	/ /	ľ	~	'	,	4	+	÷			+	+		+	+	++	\dashv		/	\dashv	-	
4	Yellow-billed Cuckoo		+	/	+			1		\pm	+	$^{+}$	+		1			+	\dagger	÷			+	+		+	+	††	\dashv				+	+
θ	Lesser Nighthawk		+	ľ	\top			V	•		┪	\top	\top						†	Ť				\top		\top		\Box	\neg				\pm	
2	Common Nighthawk		Ť			1			/		T	Ť							Ť	Ť						Ť		П	\neg				\top	
3	Common Poorwill	/									T			1	1																			
θ	Mexican Whip-poor-will																																	
2	White-throated Swift	Ш									4								/	_		,	4						4					
4	Rivoli's Hummingbird	L									4				_	1	✓,	/	1	_								11	4			Щ	<u></u>	
-0	Blue-throated Mountain-gem	H	1							_	4	_							_	+			_	_		_	_	11	4			Щ	_	
4	Lucifer Hummingbird	√ √	//		+			H		-	4	+	+	_	-		-	,	/				+	+		+		+ 1	4			4	-	-
8	Ruby-throated Hummingbird	H			+		_		_	+	+	_		/		✓	,	4	<i>'</i>	/		/	+	/ /	V				\dashv	1		_		\blacksquare
	Black-chinned Hummingbird	<u> </u>	/ /		+	H	1	✓	4	+	۱	/ .	///	-	/	/	<i>-</i>	4	//	/	/	√ .	4	/ /	/		1	/	\dashv	<u> </u>	✓	<u> </u>	/	\vdash
1	Anna's Hummingbird Costa's Hummingbird	H	+		+	H		H		+	+	+	+		-		+	+	/	,		,	+	+	H	÷	٠	H	┪	+	-	\dashv	+	+
11	Calliope Hummingbird	H	÷					H		-	+	/					/ ,	/			1	1	7	+			/	H	┪	1		=	+	
24	Rufous Hummingbird	Η,	/		\dashv	Г	/	H			Τ,	/ .	11	/	1	1	1.	/ .	/ /	/ /	1	1.	7	\pm	1	/		1	\neg		1	1	/	\top
θ	Allen's Hummingbird										T							Ī		Ť			T			Ť	Ť	П						
16	Broad-tailed Hummingbird										٦,	/ .	11		1	1	1.	/ ,	11	1		1.	7				1	1			1		1	
θ	Broad-billed Hummingbird																																	
θ	White-eared Hummingbird	Ш									_																		_					
-0	Violet-crowned Hummingbird	\perp									4							_					4				L	1 1	_			Щ		
-0	Sora	Щ	+		_			Щ		_	4	4	+					_	4	-			4	\perp		4	Ļ	11	_			4	\perp	
	American Coot	H	+		+	L		H		/	-	+	+	_			-	4	+	+		-	4	+		+	+	+	4			4	-	\blacksquare
4	Black-necked Stilt	H	+		+			H		✓ .	4	-	+	/	1		-		-	+		-	+	+	H	-	-	+ 1	4		-	-	-	\vdash
<u>θ</u>	American Avocet	\vdash	÷			\vdash				+	+	-							÷	+			+	+				+	\dashv				+	
<u>θ</u>	Snowy Plover Semipalmated Plover	H	+		+			H		+	+	+	+						+	+			+	+	Н	+	-	++	\dashv	+		\dashv	+	+
5	Killdeer	\vdash	÷			H	1			7.	7	+		1	1				+	+		+		+		+		+	\dashv					
5	Upland Sandpiper	\vdash	÷			1	1		/	/ ,		+	1	ľ					$^{+}$	Ť				+			t	+ 1	\dashv				+	
1	Long-billed Curlew		Ť			Ť	Ť			- :		Ť	ľ	f									1					Ħ	\dashv				\pm	
θ	Stilt Sandpiper		Ť			Г					1								Ť	Ť			T	\top				П	7				\top	
2	Baird's Sandpiper													1	1																			
3	Least Sandpiper					L					/			1	1																			
3										,	/			_	1																			

Number of Trips seen	Broken down by each daily trip	CM	10		mito eek	Van Horn	Miller Ranch	Warath	401.	shorts.	TI P	NC Di	М	Bi Da	g		MR oper		OMI owe			w's est	St	M ate ark	Gai	rdens	Li	impi Xing rabel	3)	npia (ing s Cre		CDRI	BB Photography
	Total species seen	1Fr 1SA	150	2Fr	2Sa 2Su	3Fr	3Sa	4Fr	4Sa	5Fr	i i	6Sa	nS9	7Fr	7Sa	8Fr	8Sa	9.	9Sa	9Su	10Fr	10Sa	1 1	11Sa	12Fr	12Sa		13Sa	13Su				15Sa 15Su	16Fr
θ	Pectoral Sandpiper																	T					T				T		П					
θ	Semipalmated Sandpiper																																	
3	Western Sandpiper									1	1			1	1								L	1		1								
-	Long-billed Dowitcher		1					1		_									_				L	1		1								Ш
	Wilson's Snipe	-	+	H	+			-	4	-	_						-		-	-		+	╀	+	H	+	+			_	-	4	-	
	Wilson's Phalarope	\dashv	+	H	+			H	+	√	-				,		+	-	-		-	+	╀	+	H	+	╀			_	+		+	
	Spotted Sandpiper	+	+	H	+		/	H	+	<u> </u>	+				/		+	-	\vdash		H	+	╀	+	H	+	╀				+	-	+	-
	Solitary Sandpiper Greater Yellowlegs	\div	÷	H	+		<u> </u>	+	+	<i>\</i>	_		\vdash	√ ✓	1		+	-	-	-	\dashv	+	╁	+	H	÷	╁		\dashv	-	+	+	+	
	Willet	+	+		+			H			+			1	•		+					\pm	t	+	Н	Ť	t		\dashv		\dashv			
-	Lesser Yellowlegs	-	Ť					i	1	/ /				1	/							Ť	t	Ť	Ħ	Ť					1		+	
	Ring-billed Gull								T					Ť						Ħ		T	Т			Ť								
	Least Tern																																	
1	Black Tern									1																								
θ	Forster's Tern																																	
1	Double-crested Cormorant									1									_				L			1								
	Neotropic Cormorant									1	_			1					_	<u>!</u>			┡	1_		1			Ц					
	Great Blue Heron		-		-					/ /	_				1		_		_			_	╄	-		4	_			/	_			
	Great Egret	+	+	H	+			-	4	/ /	_	-			/		+		+	-		+	╄	+	H	\dotplus	+		Ц		-	4	-	
	Snowy Egret		+	H	+		_	-	+	/	+		-				+		-		-	+	╀	+	H	+	╀		\dashv		+	+	+	
	Little Blue Heron		+	H	+		_	+	+	+	╁		\vdash		,		+	-	-	-	\dashv	+	╀	+	H	÷	╁		\dashv	-	+	+	+	
	Cattle Egret Green Heron	-	÷	H	+		_	+	+	+	-				/		+	-	:	:		÷	╁		H	÷	+		\dashv	-	+		+	
	Black-crowned Night-Heron	+	+		+			\dashv		+												+	t	$^{+}$	Н	Ť					+			
	White-faced Ibis	+	Ť	Ħ	\dagger					+							+					+	t	+	H	\dagger					_			
-	Turkey Vulture	/	//	1	/	1	/	1.	7	/ /	/	1	/	1	1	1	11	1		/	/	//	1		1	/	//			1	1		/	
	Osprey								_	11				1																				
θ	White-tailed Kite																																	
_ 1	Golden Eagle						1																											
	Mississippi Kite		1	-															_				L	1_		1								
-	Northern Harrier	-	1		4			_	4	4				/			4		_	_		_	┡	╀-	Н	1	_				4			
	Sharp-shinned Hawk	-	+	H	+			-	4	+	_						+		-	-	-	+	╀	+	H	+	+				-	_	+	
	Cooper's Hawk		+	H	+		_	\dashv	+	+	┢	✓	\vdash	✓			+		-	-	-	+	╀	+	H	+	╀		\dashv	-	+	_	+	
-	Common Black Hawk	÷	+	H	÷			÷	+	+	-						+	-	-	_	H	+	╀	+	H	+	╀				÷	+	+	-
	Harris's Hawk Gray Hawk	\div	+	\pm	/			÷	+	÷			\vdash			H	+		+	-	\dashv	+	╁	+	H	÷	+		\dashv		+		+	\blacksquare
	Swainson's Hawk	+	+	- 1	+		/	1.	/	+				1	/		+		+	-		+	╁	+	H	÷	+		\dashv		\dashv		/	
	Zone-tailed Hawk	+	t	1	/		•	-	+	+	+	1					+		H	-			t	$^{+}$	H	Ť	t				+	ď		
	Red-tailed Hawk	/	Ť	Ĭ				Ì	T,	11	1			1	/	1	/	/			1	/	T	†		Ť	Т				\exists			
θ	Barn Owl																						Г											
θ	Western Screech-Owl																																	
4	Great Horned Owl			1			/					1			1																			
	Elf Owl																						L	1		1								
	Burrowing Owl		<u> </u>						4		_								<u> </u>	_			L	<u> </u>		4	L		Ц	;				
	Belted Kingfisher	\perp	+	H	+			H		_				1			_	-	_	_		4	╀	+	H	+	-			_	_		-	
	Acorn Woodpecker	\dashv	+	-	+			-		+	/	1	✓		/	√	11	1	1	/	✓	/ <u>/</u>	1	<u>`</u>	1	/	1		Н	√	1	/	/	-
	Golden-fronted Woodpecker			/ ,			_	/ ,	_	+	+,				1	_						_	+	+	H	÷	+	,	\dashv	_	_	,		
	Ladder-backed Woodpecker Northern Flicker	11	· /	/ ,	/	1	✓	✓ .	4	+	/	1	✓	√	1	1	✓	-	1	/		/	+	+	1	/	/		\dashv	/	1	/	/	
	American Kestrel	\div	÷	/	+	1	_	+	+	+	_	1			1		+	-	:	:	\dashv	//	+	+	/	-	+		\dashv	1	+	/	+	
	Peregrine Falcon	\vdash	÷	v		۲	_		+	+	+				•			H	-				t	+	/	+	t		\dashv	•		_	+	
	Olive-sided Flycatcher	/	/		/	H		i.	/		t				1			t		Н			t	†		+	t						+	
	Western Wood-Pewee	//	_	/	-	1	/	-	/	\top	/	1	/	1	_							/	1			/	1							
	Willow Flycatcher		T			Ė	/	ľ			Ť				_							ľ	T			Ĭ								
	Hammond's Flycatcher																																	
	Gray Flycatcher										1	1	1									/				/	1							
1	Dusky Flycatcher																					/												

Number of Trips seen	Broken down by each daily trip	CM	10	Alamito Creek	Van Horn	Miller Ranch	Marath	82,	"morhea	TNC	DM	Bi Di	ig ay		MR oper		MR		Cro		DM State Park	2 4 6	iga inder	Ali	Limpia Xing Arabell		Х	ipia ing Creek	CDRI	BB Photography
	Total species seen	1Fr 1SA		2Fr 2Sa			4Fr ,	45a	5Su	6Fr	6Su 6Su		7Sa	8Fr	-	į,	9Sa	9Su	10Fr		11Fr				13Fr 13Sa	13Su		14Sa 14Su		
θ	Cordilleran Flycatcher		-		H."	\ <u>''</u>		+				H		<u> </u>	<u> </u>	ļ .	<u>.</u>	~		1 -	T.	+-	-	-		7			1 1	1
θ	Black Phoebe	\vdash	Ħ						$^{+}$		\top							┪	\pm	Ť			П		11	1		\pm	<u> </u>	+
12	Say's Phoebe		Ħ			1	١,	/	1	1.	/ /	1	1		1			T	,	/			П	7			/		1	
9	Vermilion Flycatcher			11			1.	_				1										1		7			/	1		
θ	Dusky-capped Flycatcher																													
6	Ash-throated Flycatcher	11	1	1			١,	/	1																					
2	Brown-crested Flycatcher	1	Ш		1													4								4	_			
12	Cassin's Kingbird	4	Н	1	1		H		1	✓ ,	/	1	1			1		4	4	1	1		ļ	4		_	/	√	1	
	Western Kingbird	\vdash	\vdash		1	1			1	H	+	1	1		+			4	+	+	-		Н	4		4	-	+	1	\perp
4	Scissor-tailed Flycatcher		1			ļ.,	✓.	_	+	H	+	1	1	H	+		H	4	-	+			Н	+		\dashv	-	+	┿	\blacksquare
11	Bell's Vireo	11	·	11	1	1	✓,	4	+	H	+	/	/	H	-			┥	+	+	H	-	Н	+		\dashv	+	+	+	+
<u>θ</u> 1	Gray Vireo Hutton's Vireo	\vdash	+				H		+	H	+			H	+,		H	Ⅎ	+	+	H		H	+		\dashv	+	+	₩	+
θ	Cassin's Vireo	+	\vdots		-		H		+	\vdash	+		-	H	✓		H	┪	+	÷	+	-	H	+	++	╅	\pm	÷	 	-
	Plumbeous Vireo	H			1			+	+	/	/ /	1	1		+	Н		┪	÷	÷		+	Н	+	++	╅	+	+	H	+
θ	Warbling Vireo	+	Ħ						$^{+}$			ľ						┪	$^{+}$	Ť			Н	+		1	1	+		
0	Yellow-green Vireo	\vdash	Ħ				Ħ	T	+	Ħ	$^{+}$					Н		┪	Ť	Ť	1		П	7	-11	1	1	+		
4	Loggerhead Shrike	\vdash	/		1	1	١,	/	+									1	+				П	T		1		+		
θ	Steller's Jay		Ť		Ť	Ť	ΙÏ											┪					П			1				
21	Woodhouse's Scrub-Jay									1.	11	1	1	1	11	1	1	7	1	1	11	/	Π,	/	1		1	11		
2	Chihuahuan Raven				1	1																	П			T				
13	Common Raven							/		1.	11	1	1		1	1		Т				1			1		/	1	1	
θ	Mountain Chickadee																													
18	Black-crested Titmouse									1	1	1	1	1	11	1	Į,	/	//	1	11	/ /					/	/ /		
3	Verdin	<u> </u>	1	1			١,	/										_		1						4	_			
1	Horned Lark	1	1			1	L		1_	L								4			1		Ш	4		4			\perp	Ш
1	N. Rough-winged Swallow	4			_	ļ	/		<u> </u>		<u> </u>		_					4	_	1				4		4	4		4	Ш
1	Purple Martin	1	Ш		_		H		_	H		1						4	_	1	1		Ш	4		4	_		4	\blacksquare
2	Tree Swallow	\vdash	₽				H	-	_	H	+	1		H	-			4	-	+	-		Н	4		4	-	+	 	\blacksquare
3	Violet-green Swallow	\vdash	+		-		H			H	+		1		+			4	+	+	H	-	Н	+		-	/	+	₩	
1	Bank Swallow Barn Swallow	\vdash	\vdash		_	_		/	/		/ /	-			/ /			┥	+			,	Н	7	/ /	\dashv	/	/ /		+
<u>25</u>	Cliff Swallow	+	$^{+}$		/	1	✓ ,		- :	✓ ,	/ /	1	1	/	11			┥	-	-	11	/ /		4	/ /	+	/	/ /	1	+
3	Cave Swallow	÷	÷		+	/	,	+	1	H	+	ľ	/	H	✓	H	H	┪	÷	÷	H	+	H	+	+++	\dashv	\pm	+	H	+
4	Bushtit	H	Ħ				-			/								1	/	/			H	+		╅	1	+		+
17	White-breasted Nuthatch	\vdash	†						+	./ .	/ /	1	/	1	11	/	1	7	/ /	/	H		Н	+		1	/	/ /		
2	Blue-gray Gnatcatcher	\vdash	Ħ				١,	/	$^{+}$		Ť	1			<u> </u>	ľ				Ť		Ť	П		11	T		*	<u> </u>	\top
θ	Black-tailed Gnatcatcher		Ħ				l		T			Ė						T					П			1				
2	Rock Wren		/			1			T									7					П	T		1				T
5	Canyon Wren					1				1	1				1					/										
θ	House Wren																													
10	Bewick's Wren					1				1	1	1	1		/	1				1							/	/		
10	Cactus Wren	11	1			1	✓.	/				1	1					_		1				_,	/	_			1	
1	European Starling	1					١.		1					1				_		1	1					4			4	
12	Curve-billed Thrasher	11	1		1	<u> </u>	✓.	4				1	1					_	1	1			Ш		1	4			4	
1	Crissal Thrasher	<u> </u>	1		_	1	H		+	H			<u> </u>					4	_	1	<u> </u>		Ш	_		4	_		4	\blacksquare
8	Northern Mockingbird	√	/		/	1	✓ ,	4	+			_	1	H	-		H	4	-	+			Н	+		4	-	+	 	_
5	Western Bluebird	\vdash	-		-		H	-	+	✓ ,	/ /	1	/		-	-	H	4	+	÷	H	-	Н	+		\dashv	-	+	┿	
θ	Hermit Thrush	\vdash	\mathbb{H}		\vdash		H		+	\vdash			-		+	Н		\dashv			\vdash					+	-	-	+	+
θ 0	American Robin	\vdash	+		\vdash	-		+	+		+	\vdash	-			H		\dashv	+	+	\vdash		H	+		+	-		+	
10	Phainopepla House Sparrow	\vdash	+		1	1	1.	/	,	\vdash		1	1				H	\dashv		÷	\vdash			/	+	+	/		+	
	House Sparrow	//		11	1	_	✓ ·		1	1.	/	ľ		/	11		Н	\dashv	+		11	//			11	_		/ /	/	
θ	Pine Siskin	<i>* *</i>	V	V V	'	~	,	+	-	,			/	~	V V			\dashv			V V	-		ď	v :	+	V .	/ /	*	
23	Lesser Goldfinch	Ħ	Н	1		1	1.	/	+	1	/ /	1	1	/	11	1	1	7	,	/	1	/		1	/	+	/	/ /	1	
7	Cassin's Sparrow		Н		1		✓ .			i '			1			ľ		+			Ť			ď		1	1		1	
1	Grasshopper Sparrow		П		Ť	-	'					Ė	<u> </u>					\dashv				1				1	1			
	T. TOO. OPPOR OPPORTOR				_				-							_	<u>. :</u>			•		Į.								

Number of Trips seen	Broken down by each daily trip	CI	мо	Alam Cre	iito ek	Van Horn	Miller Ranch	Morthon	Bally	orhes	TNO Pre	C DM	В	itsnow is ay		MR oper		MR ower		ow's lest	DM State	2 G	il 98	<i>b.</i>	Limpi Xing Arabel	3)	mpia (ing		CDRI	16Fr BB Photography
158	Total species seen	1Fr	1SA 1SU	2Fr 2Sa	2Su	3Fr \	3Sa	4Fr 4Sa	5Fr	2Su	6Fr	6Sa 6Su			8Fr	-	9Fr	9Sa 9Su	10Fr	10Sa 10Su	11.		12Sa		13Fr 13Sa	13Su				15Sa 15Su	16Fr
19	Chipping Sparrow					/	1	·			1	//	1	1		/		1	1	11	11	//		/				1	<u> </u>	/	
1	Clay-colored Sparrow															/							Ш						Ц		
5	Black-chinned Sparrow	Li			<u>: </u>						1	/	1	1	,	/	Li				\perp		Ш	4					4		
θ	Brewer's Sparrow	H							L					_							L.		Ш	4				_	4	\dotplus	
11	Black-throated Sparrow	✓ .	11		Ш	/	/	✓	L		_		1		1						/		Ш	_	/				_	✓	
14	Lark Sparrow	H	+	/		1	1	/	H		/	11		1	-	+				-		√		4			1	/	/ .	/	
3	Lark Bunting	H	+		+	✓	/	-	⊢		-	+	1			+		-		-	H		Н	+	-	-		+	+	+	
<u>θ</u>	Lincoln's Sparrow	/	+		+		_	, ,	-		_		-			-		-				,	H	+				-	+	+	
<u>23</u> 7	Canyon Towhee		+		+		✓	11	H	\vdash	1	11	1	1		/	1		/	11	1	/	H	١,	/ /	_	1	1		_	\blacksquare
	Rufous-crowned Sparrow Green-tailed Towhee	\vdash	+		+			+	Н	\vdash	/	÷	/	/	- 1	/	H	-		√	┢	+	H	+	1	\vdash	/	+	+	/	+
4	Spotted Towhee	\vdash	+		+			\pm	Н		/	/	'	+		+		-		+	┢	+	H	╅	-			+	+	+	+
6	Yellow-breasted Chat	\vdash	+	11	+			11		\vdash	/	/	_	/	/	-				+	H		H	+				\dashv	+	+	\blacksquare
<u>θ</u>	Yellow-headed Blackbird	\vdash	+	V V	$\dot{\Box}$			<i>y y</i>	Н	\vdash		+	'	-		+				+	H		H	+				\pm	+	+	
1	Western Meadowlark	H	+		$\dot{\Box}$				Н	\vdash		÷				+				+	H		Н	+				\pm	+	+	
7	Eastern Meadowlark	H	+		\vdots	/	/	//	Н	\vdash		÷	/	/		+				+	H	1	Н	+				÷	+	+	
3	Orchard Oriole	/				•	•	<i>y y</i>	Н	\vdash		+	ľ									-	H	+		-			Ħ	+	+
θ	Bullock's Oriole	 	+	ľ	$^{+}$				Н			\pm				+						+	H	\dagger					+	+	+
8	Scott's Oriole	/	1		$^{+}$			/	Н			\pm	1		1								Н		/ /		1		+	+	
3	Red-winged Blackbird	ľ			\Box			./	/	Н		\pm	1								\vdash		Н	ť			•		1	\pm	
1	Bronzed Cowbird	H	\pm		+				ľ	\Box		+	1	1		+							П	T				+	Ħ	\pm	
3	Brown-headed Cowbird		\pm		\Box		/	/	Т	/	一	\pm	Ť	t	Ħ	1		\pm					П	T			i	1	Ħ	\pm	\Box
4	Great-tailed Grackle		$^{+}$		\Box		•	Ť		7	T	\pm	1	/		\top							П	T				\dashv	T	+	\Box
0	Northern Waterthrush	H	\top		$\dot{\Box}$				Ť				Ť	Ť		\pm							П	T				\dashv	T	\pm	
0	Black-and-white Warbler		Ť																				П	T						\top	
0	Orange-crowned Warbler																						П	T					Ħ	\top	
0	Lucy's Warbler								Г														П	T					Ħ	\top	
θ	Nashville Warbler																						П	T							\Box
2	Virginia's Warbler					/	/																								
1	MacGillivray's Warbler			/																											
1	Common Yellowthroat					/																									
θ	American Redstart																														
4	Yellow Warbler			1				\		1			1																		
2	Yellow-rumped Warbler						1						1																		
1	Grace's Warbler														1																
1	Black-throated Gray Warbler										1																				
3	Townsend's Warbler	1	1									/																			
θ	Hermit Warbler																							4					4		
3	Wilson's Warbler	L				/	1	/													\perp		Ш						4		
0	Painted Redstart	Ш																													
2	Hepatic Tanager	Ц							Ш		1	1																			
8	Summer Tanager	\perp		11	_			11				/	1	1							1		Ш	4					4	_	
7	Western Tanager	L		1		/		/	ш			✓	1	_						11			Ш	4					4	_	Ш
3	Northern Cardinal	L	_		\perp			11	Ш					1									Ш	4					4	_	\perp
9	Pyrrhuloxia	✓.	//	/		/	1	✓	L	1				1									Ш	4					4	_	
11	Black-headed Grosbeak	Ц	_		\perp		1		ш		/			1		/ /			1	1	/		Ш	4			1	/	4	-	
21	Blue Grosbeak	۷.	//	11		✓	/	11	L	/	/	11	1	1	1	/				1	/			4			1		,	/	
2	Lazuli Bunting	\vdash	+	/			✓		L	\square		-		-				-			\vdash			_	+	Ц			4	\dotplus	
- 0	Indigo Bunting	H	1		-				H	\square		-		1		-		-			\vdash			+		-			4	+	
4	Varied Bunting		11						⊢	\vdash	-	-		1		-		-		√	\vdash			+		-		- 1	_	+	
7	Painted Bunting	✓.	/	11		✓	✓	/	H	Н	-	-	\vdash	-	÷	-	H	-		-	\vdash			+				- :	4	+	
150	Dickcissel		1000	V		-		/			20	20 -	L	<u> </u>			1	45 -		20.00							22	20			
158	Total species seen	24 2	22 22	18 28	θ	33	50	40 48	22	43	39	5 0 33	/9	/0	24 7	21 29	18	15 14	16	2 6 23	15 8	5 22	θ 1	l8 1	15 12	Ü	30	20 :	19 2	23 ⊖	θ